

WR-38
DATE:

STATE OF WEST VIRGINIA
DIVISION OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Taylor Claricey

Operator Well No.: Taylor 2 47-410-04357

LOCATION: Elevation: 1069' Quadrangle: Hackers Creek
District: Hackers Creek County: Lewis
Latitude: 39.043113 Feet South of Deg. Min. Sec. Utm 558225.6
Longitude: -80.32718 Feet West of Deg. Min. Sec. UTMN 4321776.2

Well Type: OIL GAS X

Company: Enervest Operating L LC
300 Capital Street Suite
Charleston WV 25301

Coal Operator
or Owner

Coal Operator
or Owner

RECEIVED
Office of Oil and Gas

DEC 01 2014

Permit Issued Date: 9/5/2014

WV Department of
Environmental Protection

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of Lewis

Randy Slagle and William Landis being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well, sat that said work was commenced on the 13th day of oct, 2014, and that the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
Cement	2480'	2123'		
Cement	1750'	1600'		
Cement	1450'	1350'	1400' 4 1/2 at free point	1080'
Cement	1137'	967'		
Cement	220'	0		
Well T.D 2480	6%Gel Between cement plugs			
Erect a	Monument	With the	API attached	

Description of monument: 7inch in well with API number attached and that the work of plugging and filling said well was completed on the 24th day of oct, 2014.

And further deponents saith not.

Sworn and subscribe before me this 24th day of October, 2014

My commission expires: 4-3-2017

Notary Public

Oil and Gas Inspector: Barry Stille Date 12-16-14



OFFICIAL SEAL
STATE OF WEST VIRGINIA
NOTARY PUBLIC
Lisa W. Turner
Route 9, Box 218
Buckhannon, WV 26201
My Commission Expires April 3, 2017

WR-38
DATE:

STATE OF WEST VIRGINIA
DIVISION OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

11-00436P

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name C.C. Beckitt

Operator Well No.: C.C. Beckitt #536 47-011-00436

LOCATION: Elevation: 633' Quadrangle: Hurricane 7.5 Milton 15
District: Grant County: Cabell
Latitude: 38.436956 Feet South of Deg. Min. Sec. UTM 404836.5
Longitude: -82.090386 Feet West of Deg. Min. Sec. UTMN 4254861

Well Type: OIL GAS X

Company: Enervest Operating L LC
300 Capital Street Suite
Charleston WV 25301

Coal Operator
or Owner

Coal Operator
or Owner

Permit Issued Date: 10/15/14

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of Cabell

Randy Dustin and Charles Hanson being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well, sat that said work was commenced on the 27th day of oct, 2014, and that the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
Cement	2200'	1987'		
Cement	1550'	1410'		
Cement	650'	508'	580'	1244'
Cement	102'	0'		
			No 8 inch found in well	
			No 10 inch found in well	
			Could not pull 13 inch	
Well T.D 2480	6% Gel Between cement plugs			
Erect a	Monument	With the	API and date attached	

Description of monument: 7 inch in well with API number attached and that the work of plugging and filling said well was completed on the 14th day of nov, 2014.


And further deponents saith not.

Sworn and subscribe before me this 14th day of November, 2014
My commission expires: 4-3-2017

Oil and Gas Inspector

Date 12-15-14

RECEIVED
Office of Oil and Gas



AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE STREET MONONGAH, WV 26554
Address
CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE STREET MONONGAH, WV 26554
Address
CONSOLIDATION COAL CO.
Lease or Property Owner
1 BRIDGE STREET MONONGAH, WV 26554
Address

CONSOLIDATION COAL CO.
Name of Well Operator
1 BRIDGE STREET MONONGAH, WV 26554
Complete Address
GLOVER GAP 7.5'
Well Location
MANNINGTON
District
MARION
County
5016
Well No.
CONSOLIDATION COAL COMPANY
Farm

STATE INSPECTOR SUPERVISING PLUGGING William H. Harkins

12-15-14

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of MONONGALIA ss:

MICHAEL MITCHELL and KEVIN WRIGHT being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 8th day of October, 2014 and that the well was plugged in the following manner:

Sand or Zone Record	Filling Material	Casing/Tubing Size	Casing Pulled	Casing Left In
Formation				
Cleaned 12 1/2" hole from Surface to 104'. Tagged top of 10 3/4" casing at 104'. Reduced hole to 9 7/8". Cleaned 9 7/8" hole through 10 3/4" casing from 104' to 155'. Continued to clean 9 7/8" hole from 155' to 607'. Tagged top of 8 5/8" casing at 607'. Reduced hole to 7 7/8". Cleaned 7 7/8" hole through 8 5/8" casing from 607' to 1210'. Continued to clean 7 7/8" hole from 1210' to 1984'. Reduced hole to 6 1/2". Tagged solid plug at 1984'. Left 51' of 10 3/4" casing in the hole from 104' to 155'. Removed 357' of 8 5/8" casing from 607' to 964'. Left 246' of 8 5/8" casing in the hole from 964' to 1210'. Cleaned 9 7/8" hole through the Pittsburgh Coal seam from 742' to 748'. Left 20' of 16" conductor casing in the hole from Surface to 20'.	16" Conductor	0'	20'	
		10 3/4"	0'	51'
		8 5/8"	357'	246'
<u>Cemented hole from 1984' back to surface as follows:</u> From 1984' to 948' with 222 sacks of Expandable Cement. From 948' to 642' with 175 sacks of Thixotropic Cement with dye. From 642' back to the Surface with 273 sacks of Expandable Cement. Cement did circulate at the Surface.				
Coal Seams		Description of Monument		
Pittsburgh	(742' - 748')	77' of 7" casing w/ company name, well number, permit number and date cemented stated on 7" casing. Well marker will be attached to cement plug at ground level.		

RECEIVED
Office of Oil and Gas
DEC 17 2003
WV Department of Environmental Protection

RECEIVED
Office of Oil and Gas
DEC 17 2014
WV Department of
Environmental Protection

... and that the work of plugging and filling said well was completed on the 24th day of October, 2014

And further deponents saith not.


Michael P. Mitchell
Michael Mitchell

Kevin Wright
Kevin Wright

Sworn to and subscribed before me this 5th day of December-2014

Kara Beth Forst
Notary Public

My commission expires: 11/4/23



Permit No. 47-049-02353-P
Well No. 5016

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE STREET MONONGAH, WV 26554
Address
CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE STREET MONONGAH, WV 26554
Address
CONSOLIDATION COAL CO.
Lease or Property Owner
1 BRIDGE STREET MONONGAH, WV 26554
Address

CONSOLIDATION COAL CO.
Name of Well Operator
1 BRIDGE STREET MONONGAH, WV 26554
Complete Address
GLOVER GAP 7.5'
Well Location
MANNINGTON
District
MARION
County
5016
Well No.
CONSOLIDATION COAL COMPANY
Farm

STATE INSPECTOR SUPERVISING PLUGGING *William J. [Signature]* 12-15-14

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of MONONGALIA ss:

ROGER MOORE and KEVIN WRIGHT being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 14th day of October, 2014 and that the well was plugged in the following manner:

Sand or Zone Record	Filling Material	Casing/Tubing Size	Casing Pulled	Casing Left In
Formation				
Cleaned 12 1/2" hole from Surface to 152'. Reduced hole to 9 7/8". Cleaned 9 7/8" hole from 152' to 1071'. Cleaned 9 7/8" hole through the Pittsburgh Coal seam from 765' to 771'. Reduced hole to 7 7/8". Cleaned 7 7/8" hole from 1071' to 2015'. Tagged solid plug at 2015'. <u>Cemented hole from 2015' back to surface as follows:</u> From 2015' to 971' with 300 sacks of Expandable Cement. From 971' to 665' with 155 sacks of Thixotropic Cement with green dye. From 665' back to the Surface with 325 sacks of Expandable Cement. Cement did circulate at the Surface. Left 20' of 16" conductor casing in the hole from Surface to 20'.		16" Conductor	0'	20'
		RECEIVED Office of Oil and Gas DEC 17 2014 WV Department of Environmental Protection		
Coal Seams		Description of Monument		
Pittsburgh	(765' - 771')	77' of 7" casing w/ company name, well number, permit number and date cemented stated on 7" casing. Well marker will be attached to cement plug at ground level.		

... and that the work of plugging and filling said well was completed on the 28th day of October, 2014

And further deponents saith not.


Roger Moore
Roger Moore

Kevin Wright
Kevin Wright

Sworn to and subscribed before me this 15 day of December 2014

Kara Beth Forst
Notary Public

My commission expires: 11/4/23



Permit No. 47-049-02354-P
Well No. 5016

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE STREET MONONGAH, WV 26554
Address
CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE STREET MONONGAH, WV 26554
Address
JEFFREY MICHAEL
Lease or Property Owner
PO BOX 221 MANNINGTON, WV 26582
Address

CONSOLIDATION COAL CO.
Name of Well Operator
1 BRIDGE STREET MONONGAH, WV 26554
Complete Address
GLOVER GAP 7.5'
Well Location
MANNINGTON
District
MARION
County
5142
Well No.
MICHAEL JEFFREY
Farm

STATE INSPECTOR SUPERVISING PLUGGING *[Signature]* 12-15-14

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of MONONGALIA ss:

RUSSELL SMALLWOOD and KEVIN WRIGHT being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 28th day of September, 2014 and that the well was plugged in the following manner:

Sand or Zone Record	Filling Material	Casing/Tubing Size	Casing Pulled	Casing Left In
Formation				
Cleaned 12 1/2" hole from Surface to 236'. Reduced hole to 9 7/8". Cleaned 9 7/8" hole from 236' to 1000'. Cleaned 9 7/8" hole through the Pittsburgh Coal seam from 845' to 851'. Tagged top of 7" casing at 1000'. Reduced hole to 6 1/2". Cleaned 6 1/2" hole from 1000' to 1248'. Tagged solid plug at 1248'. Removed 102' of 7" casing from 1000' to 1102'. Left an unknown amount of 7" casing in the hole from 1102' to an unknown depth.	16" Conductor 7" Casing	0' 102'	16' Unknown	
Cemented hole from 1248' back to surface as follows: From 1248' to 1051' with 35 sacks of Expandable Cement. From 1051' to 745' with 170 sacks of Thixotropic Cement with green dye. From 745' back to the Surface with 351sacks of Expandable Cement. Cement did circulate at the surface. Left 16' of 16" Conductor Casing in the hole from Surface to 16'.				
Coal Seams		Description of Monument		
Pittsburgh	(845' - 851')	77" of 7" casing w/ company name, well number, permit number and date cemented stated on 7" casing. Well marker will be attached to cement plug at ground level.		

... and that the work of plugging and filling said well was completed on the 14th day of October, 2014

And further deponents saith not.


[Signature]
Russell Smallwood

[Signature]
Kevin S. Wright

Sworn to and subscribed before me this 1 day of December 2014

[Signature]
Notary Public

My commission expires: 11/4/23



Permit No. 47-049-02355-P
Well No. 5142

RECEIVED
Office of Oil and Gas
DEC 17 2014
WV Department of
Environmental Protection

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE STREET MONONGAH, WV 26554
Address
CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE STREET MONONGAH, WV 26554
Address
JEFFREY H. MICHAEL
Lease or Property Owner
PO BOX 221 MANNINGTON, WV 26582
Address

CONSOLIDATION COAL CO.
Name of Well Operator
1 BRIDGE STREET MONONGAH, WV 26554
Complete Address
GLOVER GAP 7.5'
Well Location
MANNINGTON
District
MARION
County
5143
Well No.
HAYS, J.L. & A.J.
Farm

STATE INSPECTOR SUPERVISING PLUGGING *[Signature]* 12-15-14

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of MONONGALIA ss:

RUSSELL SMALLWOOD and KEVIN WRIGHT being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 15th day of October, 2014 and that the well was plugged in the following manner:

Sand or Zone Record	Filling Material	Casing/Tubing Size	Casing Pulled	Casing Left In
Formation				
Cleaned 12 1/4" hole from Surface to 203'. Reduced hole to 9 7/8". Cleaned 9 7/8" hole from 203' to 1236'. Cleaned 9 7/8" hole through the Pittsburgh Coal seam from 912' to 918'. Reduced hole to 7 7/8". Cleaned 7 7/8" hole from 1236' to 1434'. Tagged top of 7" casing at 1434'. Left an unknown amount of 7" casing in the hole from 1434' to an unknown depth. Reduced hole to 6 1/4". Cleaned 6 1/4" hole from 1434' to 2137'. Tagged solid plug at 2137'.	16" Conductor 7" Casing	0' 0'	18' Unknown	
<u>Cemented hole from 2137' back to surface as follows:</u> From 2137' to 1118' with 215 sacks of Expandable Cement. From 1118' to 812' with 200 sacks of Thixotropic Cement with green dye. From 812' back to the Surface with 325 sacks of Expandable Cement. Cement did circulate at the surface. Left 18' of 16" Conductor Casing in the hole from Surface to 18'.		RECEIVED Office of Oil and DEC 17 2014 WV Department Environmental P		
Coal Seams		Description of Monument		
Pittsburgh	(912' - 918')	77' of 7" casing w/ company name, well number, permit number and date cemented stated on 7" casing. Well marker will be attached to cement plug at ground level.		

RECEIVED
Office of Oil and Gas
DEC 17 2014
WV Department of
Environmental Protection

... and that the work of plugging and filling said well was completed on the 28th day of October, 2014


And further deponents saith not.

[Signature]
Russell Smallwood
[Signature]
Kevin S. Wright

Sworn to and subscribed before me this 8 day of December 2014

[Signature]
Notary Public

My commission expires: 11/4/23



Permit No. 47-049-02356-P
Well No. 5143

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE STREET MONONGAH, WV 26554

CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE STREET MONONGAH, WV 26554
Address
JEFFREY H. MICHAEL & RONALD C. MICHAEL
Lease or Property Owner
PO BOX 221 MANNINGTON, WV 26582
Address

CONSOLIDATION COAL CO.
Name of Well Operator
1 BRIDGE STREET MONONGAH, WV 26554
Complete Address
GLOVER GAP 7.5'
Well Location
MANNINGTON
District
MARION
County
5247
Well No.
CONSOLIDATION COAL COMPANY
Farm

STATE INSPECTOR SUPERVISING PLUGGING *Russell Smallwood* 12-15-14

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of MONONGALIA ss:

RUSSELL SMALLWOOD and KEVIN WRIGHT being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 29th day of October, 2014 and that the well was plugged in the following manner:

Sand or Zone Record	Filling Material	Casing/Tubing Size	Casing Pulled	Casing Left In
Formation				
Cleaned 12 1/2' hole from Surface to 448'. Reduced hole to 9 7/8'. Cleaned 9 7/8' hole from 448' to 914'. Cleaned 9 7/8' hole through the Pittsburgh Coal seam from 848' to 854'. Tagged top of 7" casing at 914'. Reduced hole to 6 1/2'. Cleaned 6 1/2' hole from 914' to 1984'. Tagged solid plug at 1984'. Cemented bottom hole plug from 1984' to 1090' with 140 sacks of Expandable Cement. Removed 150' of 7" casing from 914' to 1064'. Left 748' of 7" casing in the hole from 1064' to 1812'. Cleaned 7 7/8' hole from 1064' to 1064'. Reduced hole to 6 1/2'. Cleaned 6 1/2' hole from 1064' to 1090'. Tagged top of the bottom hole plug at 1090'.	16" Conductor 7" Casing	0' 150'	18' 748'	
<u>Cemented hole from top of the bottom hole plug at 1090' back to surface as follows:</u> From 1090' to 748' with 185 sacks of Thixotropic Cement with green dye. From 748' back to the Surface with 365 sacks of Expandable Cement. Cement did circulate at the surface. Left 18' of 16" Conductor Casing in the hole from Surface to 18'.				
Coal Seams		Description of Monument		
Pittsburgh	(848' - 854')	77' of 7" casing w/ company name, well number, permit number and date cemented stated on 7" casing. Well marker will be attached to cement plug at ground level.		

RECEIVED
Office of Oil
DEC 17
WV Department of Environmental Protection

... and that the work of plugging and filling said well was completed on the 14th day of November, 2014

And further deponents saith not.


Russell Smallwood
Russell Smallwood

Kevin S. Wright
Kevin S. Wright

Sworn to and subscribed before me this 8 day of December 2014

Kara Beth Forst
Notary Public

My commission expires: 11/4/23



Permit No. 47-049-02358-P
Well No. 5247

RECEIVED
Office of Oil and Gas
DEC 17 2014
WV Department of
Environmental Protection

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE STREET MONONGAH, WV 26554
Address
CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE STREET MONONGAH, WV 26554
Address
MILDRED H PRICHARD HEIRS (C/O PHIL PRICHARD)
Lease or Property Owner
PO BOX 108 MANNINGTON, WV 26582
Address

CONSOLIDATION COAL CO.
Name of Well Operator
1 BRIDGE STREET MONONGAH, WV 26554
Complete Address
MANNINGTON 7.5'
Well Location
MANNINGTON
District
MARION
County
3362
Well No.
PRICHARD, MILDRED H HEIRS
Farm

STATE INSPECTOR SUPERVISING PLUGGING William H. Haskett 12-15-14

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of MONONGALIA ss:

STEVIE GOUDY and KEVIN WRIGHT being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 30th day of October, 2014 and that the well was plugged in the following manner:

Sand or Zone Record Formation	Filling Material	Casing/Tubing Size	Casing Pulled	Casing Left In
Cleaned 12 1/8" hole from Surface to 87'. Reduced hole to 9 7/8". Cleaned 9 7/8" hole from 87' to 934'. Cleaned 9 7/8" hole through the Pittsburgh Coal seam from 471' to 478'. Reduced hole to 7 7/8". Cleaned 7 7/8" hole from 934' to 935'. Reduced hole to 6 1/2". Cleaned 6 1/2" hole from 935' to 1692'. Tagged solid plug at 1692'. Left 556' of 7" casing in the hole from 966' to 1522'. Left 20' of 16" conductor casing in the hole from Surface to 20'.		16" Conductor 7"	0' 0'	20' 556'
RECEIVED Office of Oil and Gas DEC 17 2014 WV Department of Environmental Protection				
<u>Cemented hole from 1692' back to surface as follows:</u> From 1692' to 678' with 209 sacks of Expandable Cement. From 678' to 371' with 190 sacks of Thixotropic Cement with green dye. From 371' back to the Surface with 234 sacks of Expandable Cement. Cement did circulate at the Surface.				
Coal Seams		Description of Monument		
Pittsburgh	(471' - 478')	77' of 7" casing w/ company name, well number,		
		permit number and date cemented stated on 7"		
		casing. Well marker will be attached to cement		
		plug at ground level.		

... and that the work of plugging and filling said well was completed on the 12th day of November, 2014

And further deponents saith not.


Stevie Goudy
Stevie Goudy

Kevin Wright
Kevin Wright

Sworn to and subscribed before me this 8 day of December 2014

Kara Beth Forst
Notary Public

My commission expires: 11/4/23



Permit No. 47-049-02359-P
Well No. 3362

STATE OF WEST VIRGINIA
DEPARTMENT OF ENERGY
OIL AND GAS WELLS DIVISION

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL CO. - OHIO VALLEY OPERATIONS

Coal Operator or Owner
8126 ENERGY DRIVE MOUNDSVILLE, WV 26041
Address

CONSOLIDATION COAL CO. - OHIO VALLEY OPERATIONS

Coal Operator or Owner
8126 ENERGY DRIVE MOUNDSVILLE, WV 26041
Address
BRIAN K. MILLIKEN
Lease or Property Owner
3732 WICKHAM CIRCLE NW, UNIONTOWN, OH 44685
Address

CONSOLIDATION COAL CO. - OHIO VALLEY OPERATIONS

Name of Well Operator
8126 ENERGY DRIVE MOUNDSVILLE, WV 26041
Complete Address
MAJORSVILLE, WV 7.5'
Well Location
WEBSTER
District
MARSHALL
County
SGW-108
Well No.
ELDER, MAY
Farm

STATE INSPECTOR SUPERVISING PLUGGING

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of MONONGALIA ss:

MARK WILSON and **KEVIN WRIGHT** being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 20th day of October, 2014 and that the well was plugged in the following manner:

Sand or Zone Record Formation	Filling Material	Casing / Tubing Size	Casing Pulled	Casing Left In
Cleaned 3 3/8" hole through 4 1/2" casing from Surface to 1910'. Left 1910' of 4 1/2" casing in the hole from Surface to 1910'. Left 1807' of 7" casing in the hole from Surface to 1807'. Left 1374' of 8 5/8" casing in the hole from Surface to 1374'. Left 750' of 10 3/4" casing in the hole from Surface to 750'. Cut remaining 4 1/2" casing at the following depths: 1797', 1700', 1597', 1497', and 756'. Perforated 4 1/2" casing with 6 shots at the following depths: 1848', 1740', 1638', 1538', 1440', 1340', 1240', 1140', and 1039'. Cemented bottom hole plug from 1910' to 946' with 55 sacks of Expandable Cement. Jet cut 4 1/2", 7", 8 5/8", and 10 3/4" casing at the following depths: 946', 896', 846', 796', 748', 744', 742', 740', 738', 690', and 640'. Jet cut through the Pittsburgh Coal seam from 739' to 746'. Left 147' of 13 3/8" conductor casing in the hole from Surface to 147'.		13 3/8" Conductor	0'	147'
		10 3/4" Casing	0'	750'
		8 5/8" Casing	0'	1374'
		7" Casing	0'	1807'
		4 1/2"	0'	1910'
<u>Cemented hole from top of bottom hole plug at 946' back to the Surface as follows:</u> From 946' to 639' with 35 sacks of Thixotropic Cement with green dye. From 639' back to the Surface with 50 sacks of Expandable Cement. Cement did circulate at the surface.				
Coal Seams	Description of Monument			
Pittsburgh Coal	739' to 746'	77" of 7" casing w/ company name, well number,		
(Name)		permit number and date cemented stated on 7"		
(Name)		casing. Well marker attached to the cement		
(Name)		plug at ground level.		

... and that the work of plugging and filling said well was completed on the 30th day of October, 2014

And further deponents saith not.


Mark Wilson
Mark Wilson

Kevin Wright
Kevin Wright

Sworn to and subscribed before me this 3 day of December 2014

Kara Betzwors
Notary Public

My commission expires: 11/4/23



Permit No. 47-051-00380-P
Well No. SGW-108

RECEIVED
Office of Oil and Gas
DEC 17 2014
WV Department of
Environmental Protection

STATE OF WEST VIRGINIA
DEPARTMENT OF ENERGY
OIL AND GAS WELLS DIVISION

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL CO. - OHIO VALLEY OPERATIONS

Coal Operator or Owner
6126 ENERGY DRIVE MOUNDSVILLE, WV 26041
Address

CONSOLIDATION COAL CO. - OHIO VALLEY OPERATIONS

Coal Operator or Owner
6126 ENERGY DRIVE MOUNDSVILLE, WV 26041
Address

BRIAN K. MILLIKEN
Lease or Property Owner
3732 WICKHAM CIRCLE NW, UNIONTOWN, OH 44685
Address

CONSOLIDATION COAL CO. - OHIO VALLEY OPERATIONS

Name of Well Operator
8126 ENERGY DRIVE MOUNDSVILLE, WV 26041
Complete Address

MAJORSVILLE, WV 7.5'
Well Location
WEBSTER
District
MARSHALL
County
SGW-109
Well No.
ELDER, MAY
Farm

STATE INSPECTOR SUPERVISING PLUGGING

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of MONONGALIA ss:

MARK WILSON and KEVIN WRIGHT being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 2nd day of October, 2014 and that the well was plugged in the following manner:

Sand or Zone Record Formation	Filling Material	Casing / Tubing Size	Casing Pulled	Casing Left In
Cleaned 3 3/8" hole through 4 1/2" casing from Surface to 1844'. Left 1844' of 4 1/2" casing in the hole from Surface to 1844'. Left 1682' of 7" casing in the hole from Surface to 1682'. Left 1130' of 8 5/8" casing in the hole from Surface to 1130'. Left 272' of 10 3/4" casing in the hole from Surface to 272'. Cut remaining 4 1/2" casing at the following depths: 1720', 1620', 1514', 1315', 1202', 1102', 1002', 905', and 680'. Perforated 4 1/2" casing with 6 shots at the following depths: 1585', 1482', 1382', 1282', 1182', 1075', and 980'. Cemented bottom hole plug from 1844' to 870' with 65 sacks of Expandable Cement. Jet cut 4 1/2", 7" and 8 5/8" casing at the following depths: 870', 820', 770', 720', 671', 670', 668.5', 667', 665', 663', 615', and 515'. Jet cut through the Pittsburgh Coal seam from 664' to 670'. Left 123' of 13 3/8" conductor casing in the hole from Surface to 123'.	13 3/8" Conductor	0'	123'	
		10 3/4" Casing	0'	272'
		8 5/8" Casing	0'	1130'
		7" Casing	0'	1682'
		4 1/2"	0'	1844'
<u>Cemented hole from top of bottom hole plug at 870' back to the Surface as follows:</u>		RECEIVED Office of Oil and Gas DEC 17 2000 WV Department of Environmental Protection		
From 870' to 564' with 30 sacks of Thixotropic Cement with green dye. From 564' back to the Surface with 45 sacks of Expandable Cement. Cement did circulate at the surface.				
Coal Seams				
Pittsburgh Coal	664' to 670'			
(Name)		77" of 7" casing w/ company name, well number, permit number and date cemented stated on 7" casing. Well marker attached to the cement plug at ground level.		
(Name)				
(Name)				


RECEIVED
Office of Oil and Gas
DEC 17 2014
WV Department of
Environmental Protection

... and that the work of plugging and filling said well was completed on the 17th day of October, 2014

And further deponents saith not.

Sworn to and subscribed before me this 5th day of December 2014

My commission expires: 11/4/23



Mark Wilson
Mark Wilson

Kevin B. Wright
Kevin Wright

Kara Beth Ford
Notary Public

Permit No. 47-051-00382-P
Well No. SGW-109

STATE OF WEST VIRGINIA
DEPARTMENT OF ENERGY
OIL AND GAS WELLS DIVISION

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL CO. - OHIO VALLEY OPERATIONS

Coal Operator or Owner
6126 ENERGY DRIVE MOUNDSVILLE, WV 26041

CONSOLIDATION COAL CO. - OHIO VALLEY OPERATIONS

Coal Operator or Owner
6126 ENERGY DRIVE MOUNDSVILLE, WV 26041

Address
CHARLES ALBERT WITSBERGER II

Lease or Property Owner
250 DRY RIDGE ROAD CAMERON, WV 26033
Address

CONSOLIDATION COAL CO. - OHIO VALLEY OPERATIONS

Name of Well Operator
6126 ENERGY DRIVE MOUNDSVILLE, WV 26041

Complete Address
MAJORSVILLE, WV 7.5'

Well Location

WEBSTER

District

MARSHALL

County

SGW-147

Well No.

CHARLES ALBERT WITSBERGER II
Farm

STATE INSPECTOR SUPERVISING PLUGGING

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of MONONGALIA ss:

MARK WILSON and KEVIN WRIGHT being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 16th day of September, 2014 and that the well was plugged in the following manner:

Sand or Zone Record Formation	Filling Material	Casing / Tubing Size	Casing Pulled	Casing Left In
Removed 1669' of 4 1/2" casing from Surface to 1669'. Removed 982' of 7" casing from Surface to 982'. Left 443' of 7" casing in the hole from 982' to 1425'. Cut remaining 7" casing at the following depths: 1300', 1197', and 1098'. Cemented bottom hole plug from 1669' to 896' with 140 sacks of Expandable Cement. Left 908' of 8 5/8" casing in the hole from Surface to 908'. Section milled 20' of 8 5/8" casing from 883' to 703' through the Pittsburgh Coal seam from 690' to 696'. Cut remaining 8 5/8" casing at the following depths: 894', 846', 794', and 742'. Left 20' of 16" conductor casing in the hole from Surface to 20'.		16" Conductor Casing 8 5/8" Casing 7" Casing	0' 0' 982'	20' 908' 445'
<u>Cemented hole from top of bottom hole plug at 896' back to the Surface as follows:</u> From 896' to 590' with 10 sacks of Thixotropic Cement with green dye. From 590' to the surface with 140 sacks of Expandable Cement. Cement did circulate at the surface.				
Coal Seams	Description of Monument			
Pittsburgh Coal	690' to 696'	77" of 7" casing w/ company name, well number,		
(Name)		permit number and date cemented stated on 7"		
(Name)		casing. Well marker attached to the cement		
(Name)		plug at ground level.		

... and that the work of plugging and filling said well was completed on the 1st day of October, 2014

And further deponents saith not.

Mark Wilson
Mark Wilson


Kevin Wright
Kevin Wright

Sworn to and subscribed before me this 21 day of November 2014

Kara Beth Forst
Notary Public

My commission expires: 11/4/23

Permit No. 47-051-00549-P
Well No. SGW-147



RECEIVED
Office of Oil and Gas
DEC 17 2014
WV Department of
Environmental Protection

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL & GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm Name: James E. Eddy
Location: Elevation: 1273'
District: Clay
Latitude: _____ Feet South of: _____ Deg. _____ Min. _____ Sec. _____
Longitude: _____ Feet West of: _____ Deg. _____ Min. _____ Sec. _____
Well Type: Oil X Gas _____ WIW _____
Company: East Resources Inc.
5260 Dupont Road
Parkersburg, WV 26101
Agent: Phillip S. Ondrusek
Coal Operator or Owner: CONSOL Energy - Michele O'Neil
RD 4, Box 425
Moundsville, WV 26041
Coal Operator or Owner: NA
Permit Issued: 6/27/12

AFFIDAVIT

State of West Virginia, County of Wood ss:

Phil Ondrusek and Ken Dotson being first duly sworn according to law, depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 12th day of August, 20 12 and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
Cement	2090'	1870' (Tag)	6 5/8" 360'	1402'
Cement	1750'	1495' (Tag)	4 7/8" 601'	1155'
Cement	760'	300' (Tag)		
Cement	100'	0'		
Perforated 4 7/8" & 6 5/8" casing, 1 Shot/20' from 1750' - 1650', 1 Shot/10' from 750' - 650' & 1 Shot/1' from 720' - 710'.				
6% Gel Between Cement Plugs				

Description of monument: 7" x 5' and that the work of plugging and filling said well was completed on the 31st day of August, 20 12

And further deponents saith not.

Sworn and subscribed before me this 16th day of April

My commission expires: Nov. 12, 2015

Notary Public


Affidavit reviewed by the
Office of Oil and Gas:

Title: Manager

RECEIVED
Office of Oil and Gas

DEC 12 2014
2013

WV Department of
Environmental Protection



STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: MGM UNIT Operator Well No.: S-623

LOCATION: Elevation: 1314.14 Quadrangle: PINEVILLE WV 7-1/2 SERIES

District: CENTER County: WYOMING

Latitude: _____ Feet South of 37 Deg. 31 Min. 23.2 Sec.

Longitude: _____ Feet West of -81 Deg. 35 Min. 23.5 Sec.

Well Type: OIL _____ GAS X

Company L&D Well Services Inc.
PO BOX 1192
Vansant, VA 24656

Coal Operator PINNACLE MINING COMPANY, LLC
or Owner P.O. BOX 338
PINEVILLE, WV 24874-0338

Agent DAVID TRADER
Permit Issued Date AUGUST 26, 2014

Coal Operator PINNACLE MINING COMPANY, LLC
or Owner P.O. BOX 338
PINEVILLE, WV 24874-0338

RECEIVED
Office of Oil and Gas
DEC 11 2014

WV Department of
Environmental Protection

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of WYOMING ss:


Randy Lawson and David Trader being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 2ND day of SEPTEMBER, 2014, and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
CHECK TD		2813	13-10" 0 FEET	31 FEET
CEMENT	2,363	2,813	8-5/8" 18 FEET	957 FEET
3% GEL	1,362	2,363	4-1/2" 964 FEET TO SURFACE	1,859 FEET
MILL 8-5/8"	563	581	perfs(548' - 558', 588' - 708') every 10 feet	perf. 410' and 122'
CEMENT	1,090	1,362	CEMENT FROM <u>925'</u> TO <u>996'</u>	
3% GEL	996	1,090	3% GEL FROM <u>758'</u> TO <u>925'</u>	3% GEL FROM <u>200'</u> TO <u>310'</u>
EXPANDING CEMENT	378	758	CEMENT FROM <u>310'</u> TO <u>378'</u>	CEMENT FROM SURFACE TO <u>200'</u>

Description of monument: 4' HEIGHT, WITH WELL NAME, API# AND DATE PLUGGED and that the work of plugging and filling said well was completed on the 17TH day of SEPTEMBER, 2014.

And further deponents saith not.

[Signatures]



Sworn and subscribe before me this 29 day of September, 2014

My commission expires: September 21, 2021

[Signature: Theresa A. Stanley]
Notary Public

Affidavit reviewed by the Office of Oil and Gas: *[Signature]*

Title: Inspector

WR-38
DATE: -

STATE OF WEST VIRGINIA
DIVISION OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

11-00411P

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: G. A. Alexandria

Operator Well No.: 47-011-00411-p

LOCATION: Elevation: 679' Quadrangle: Saunders Creek
District: Milton County: Cabell
Latitude: 38.418286 Feet South of Deg. Min. Sec. Utme 397006
Longitude: -82.179802 Feet West of Deg. Min. Sec. UTMN 4252885

Well Type: OIL GAS X

Company: Enervest Operating L LC
300 Capital Street Suite
Charleston WV 25301

Coal Operator
or Owner

Coal Operator
or Owner

RECEIVED
Office of Oil and Gas

DEC 01 2014

Permit Issued Date: 9/5/2014

WV Department of
Environmental Protection

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of Harrison

Randy Dustin and Charles Hanson being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well, sat that said work was commenced on the 29nd day of September, 2014, and that the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
Cement	1640	1440'	1580 3 1/2	65
Cement	780	580	780 8 5/8	797
Cement	100	0		
Well T.D 1640	6%Gel Between cement plugs			
Erect a	Monument	With the	API attached	

Description of monument: 8inch in well with API number attached and that the work of plugging and filling said well was completed on the 13th day of oct, 2014.

And further deponents saith not.

Sworn and subscribe before me this 13th day of October, 2014
My commission expires: April 13, 2017

Notary Public

Oil and Gas Inspector:

Date 12-15-14

